RF Remote Control System, (2) 12VDC Outputs with auxillary switch leads

https://www.gamainc.com/product/rf12v-2-asl/


RF12V-2-ASL Receiver Dimensions

Functionality:

- •Powered by 12VDC
- •(2) 12V Outputs
- •Three Auxiliary Switch Leads
- •Can be configured for momentary or latching



P.O. Box 1488, Crystal Lake, IL 60039 Phone: 815-356-9600 Fax: 815-356-9603 Email: gama@gamainc.com www.gamainc.com



Specifications

- Frequency: 340 MHz.
- Input voltage: 12VDC with reverse polarity protection.
- The output relays are rated at 30A @12VDC.
- Operating temperature range: 0° F to 160° F.
- Transmit range is greater than 100 feet under normal operating conditions.
- Up to 30 transmitters can be used with each receiver. Only one is supplied when purchasing a receiver.
- The waterproof transmitter (KF340-2WP) and the keyfob transmitter (KF340-2) both use one A23 12V battery. The extended battery life transmitter (KF340-9VB-2) uses one 9 Volt battery.
- Receiver has three 6" ASL wire leads.

Drawn By: KEG

Information contained herein is proprietary information of GAMA Electronics Inc. The dissemination use or duplication of this information, for any purpose other than that for which the information is provided, is prohibited except by express written permission.

All dimensions are in inches and have a +/- .015" tolerance unless otherwise specified.

Rev: A

Pg. 1 of 6

Release Date: 10/18/18



RF Remote Control System, (2) 12VDC Outputs with auxillary switch leads

https://www.gamainc.com/product/rf12v-2-asl/




P.O. Box 1488, Crystal Lake, IL 60039 Phone: 815-356-9600 Fax: 815-356-9603 Email: gama@gamainc.com www.gamainc.com

Long Range Antenna

https://www.gamainc.com/product/lra-340/


Included with long range option



2-Button Keyfob Transmitter

https://www.gamainc.com/product/kf340-2/

Included with standard transmitter option



Accessories Sold Separately

- Extra 2-Button Waterproof Transmitters (KF340-2WP)
- Extra 2-Button Keyfob Transmitters (KF340-2)
- Package of 6 replacement A23 12V Alkaline Keyfob Batteries (A23-6)
- Extra Long Range Antennas (LRA-340)
- Extra 2-Button Rechargeable Transmitters (GKF-WPTX-2)
- Clear Protective Transmitter Pouch (ZLB-67)

Drawn By: KEG

Information contained herein is proprietary information of GAMA Electronics Inc. The dissemination use or duplication of this information, for any purpose other than that for which the information is provided, is prohibited except by express written permission.

All dimensions are in inches and have a +/- .015" tolerance unless otherwise specified.

Rev: A

Pq. 2 of 6

Release Date: 10/18/18

RF Remote Control System, (2) 12VDC Outputs with auxillary switch leads

https://www.gamainc.com/product/rf12v-2-asl/




P.O. Box 1488, Crystal Lake, IL 60039 Phone: 815-356-9600 Fax: 815-356-9603 Email: gama@gamainc.com www.gamainc.com

2-Button Waterproof Transmitter

https://www.gamainc.com/product/kf340-2wp/


Included with waterproof transmitter option



2-Button Rechargeable Transmitter

https://www.gamainc.com/product/gkf-wptx-2/

Included with rechargeable transmitter option



Drawn By: KEG

Information contained herein is proprietary information of GAMA Electronics Inc. The dissemination use or duplication of this information, for any purpose other than that for which the information is provided, is prohibited except by express written permission.

All dimensions are in inches and have a +/- .015" tolerance unless otherwise specified.

Rev: A

Pg. 3 of 6

Release Date: 10/18/18



RF Remote Control System, (2) 12VDC Outputs with auxillary switch leads


https://www.gamainc.com/product/rf12v-2-asl/

GAIVIA Dibonics


P.O. Box 1488, Crystal Lake, IL 60039 Phone: 815-356-9600 Fax: 815-356-9603 Email: gama@gamainc.com www.gamainc.com


Waterproof Enclosure


Included with waterproof enclosure option



Mounting Details







Drawn Bv: KEG

Information contained herein is proprietary information of GAMA Electronics Inc. The dissemination use or duplication of this information, for any purpose other than that for which the information is provided, is prohibited except by express written permission.


All dimensions are in inches and have a +/- .015" tolerance unless otherwise specified.

R	Δ,	v	•	Α
		v		$\overline{}$

Pg. 4 of 6

Release Date: 10/18/18






RF Remote Control System, (2) 12VDC Outputs with auxillary switch leads

https://www.gamainc.com/product/rf12v-2-asl/



P.O. Box 1488, Crystal Lake, IL 60039 Phone: 815-356-9600 Fax: 815-356-9603 Email: gama@gamainc.com www.gamainc.com



Drawn Bv: KEG

Information contained herein is proprietary information of GAMA Electronics Inc. The dissemination use or duplication of this information, for any purpose other than that for which the information is provided, is prohibited except by express written permission.

All dimensions are in inches and have a +/- .015" tolerance unless otherwise specified.

Rev: A

Pg. 6 of 6

Release Date: 10/18/18

