

RF24V-2-ASL

RF Remote Control System, (2) 24VDC Outputs with auxillary switch leads

<https://www.gamainc.com/product/rf24v-2-asl/>

RF24V-2-ASL Receiver Dimensions

Functionality:

- Powered by 24VDC
- (2) 24V Outputs
- Three Auxiliary Switch Leads
- Can be configured for momentary or latching

GAMA ELECTRONICS


P.O. Box 1488, Crystal Lake, IL 60039

Phone: 815-365-9600

Fax: 815-356-9603

Email: gama@gamainc.com

www.gamainc.com



Specifications

- Frequency: 340 MHz.
- Input voltage: 24VDC with reverse polarity protection.
- The output relays are rated at 30A @24VDC.
- Operating temperature range: 0° F to 160° F.
- Transmit range is greater than 100 feet under normal operating conditions.
- Up to 12 transmitters can be used with each receiver. Only one is supplied when purchasing a receiver.
- The waterproof transmitter (KF340-2WP) and the keyfob transmitter (KF340-2) both use one A23 12V battery. The extended battery life transmitter (KF340-9VB-2) uses one 9 Volt battery.
- Receiver has three 6" ASL wire leads.

Drawn By: KEG

Information contained herein is proprietary information of GAMA Electronics Inc. The dissemination use or duplication of this information, for any purpose other than that for which the information is provided, is prohibited except by express written permission.


All dimensions are in inches and have a +/- .015" tolerance unless otherwise specified.

Rev: 0

Pg. 1 of 6

Release Date:
10/17/18

Third Angle Projection



RF24V-2-ASL

RF Remote Control System, (2) 24VDC Outputs with auxillary switch leads

<https://www.gamainc.com/product/rf24v-2-asl/>

GAMA ELECTRONICS

P.O. Box 1488, Crystal Lake, IL 60039

Phone: 815-365-9600

Fax: 815-356-9603


Email: gama@gamainc.com

www.gamainc.com

Long Range Antenna

<https://www.gamainc.com/product/lra-340/>


Included with long range option



2-Button Keyfob Transmitter

<https://www.gamainc.com/product/kf340-2/>

Included with standard transmitter option



Accessories Sold Separately

- Extra 2-Button Waterproof Transmitter (KF340-2WP)
- Extra 2-Button Keyfob Transmitter (KF340-2)
- Package of 6 replacement A23 12V Alkaline Keyfob Batteries (A23-6)
- 12V to 24V Converter Module (DC2412)
- 12V Wall Mount Power Supply (EPS120050)
- Extra 2-Button Extended Battery Life Transmitter (KF340-9VB-2)

Drawn By: KEG

Information contained herein is proprietary information of GAMA Electronics Inc. The dissemination use or duplication of this information, for any purpose other than that for which the information is provided, is prohibited except by express written permission.


All dimensions are in inches and have a +/- .015" tolerance unless otherwise specified.

Rev: 0

Release Date:
10/17/18

Pg. 2 of 6

Third Angle Projection



RF24V-2-ASL

RF Remote Control System, (2) 24VDC
Outputs with auxillary switch leads

<https://www.gamainc.com/product/rf24v-2-asl/>

GAMA ELECTRONICS

P.O. Box 1488, Crystal Lake, IL 60039

Phone: 815-365-9600

Fax: 815-356-9603


Email: gama@gamainc.com

www.gamainc.com

2-Button Waterproof Transmitter

<https://www.gamainc.com/product/kf340-2wp/>


Included with waterproof transmitter option



2-Button Rechargeable Transmitter

<https://www.gamainc.com/product/gkf-wptx-2/>

Included with rechargeable transmitter option



Drawn By: KEG

Information contained herein is proprietary information of GAMA Electronics Inc. The dissemination use or duplication of this information, for any purpose other than that for which the information is provided, is prohibited except by express written permission.


All dimensions are in inches and have a +/- .015" tolerance unless otherwise specified.

Rev: 0

Release Date:
10/17/18

Pg. 3 of 6

Third Angle Projection



RF24V-2-ASL

RF Remote Control System, (2) 24VDC Outputs with auxillary switch leads

<https://www.gamainc.com/product/rf24v-2-asl/>

Waterproof Enclosure

Included with waterproof enclosure option

GAMA ELECTRONICS


P.O. Box 1488, Crystal Lake, IL 60039

Phone: 815-365-9600




Fax: 815-356-9603

Email: gama@gamainc.com

www.gamainc.com



Mounting Details



Drawn By: KEG

Information contained herein is proprietary information of GAMA Electronics Inc. The dissemination use or duplication of this information, for any purpose other than that for which the information is provided, is prohibited except by express written permission.


All dimensions are in inches and have a +/- .015" tolerance unless otherwise specified.

Rev: 0

Release Date:
10/17/18

Pg. 4 of 6

Third Angle Projection



RF24V-2-ASL

RF Remote Control System, (2) 24VDC
Outputs with auxillary switch leads

<https://www.gamainc.com/product/rf24v-2-asl/>

GAMA ELECTRONICS

P.O. Box 1488, Crystal Lake, IL 60039

Phone: 815-365-9600

Fax: 815-356-9603

Email: gama@gamainc.com

www.gamainc.com


Program Switch

Program LED

Motor Outputs

Long Range
Antenna Jack

Auxiliary Switch
Leads



+24V

-24V


RF24V-2-ASL
GAMA Electronics, Inc.
www.gamainc.com

Rev: 0

Pg. 5 of 6

Release Date:
10/17/18

Third Angle Projection



Drawn By: KEG

Information contained herein is proprietary information of GAMA Electronics Inc. The dissemination use or duplication of this information, for any purpose other than that for which the information is provided, is prohibited except by express written permission.

All dimensions are in inches and have a +/- .015" tolerance unless otherwise specified.

RF24V-2-ASL

RF Remote Control System, (2) 24VDC
Outputs with auxillary switch leads

<https://www.gamainc.com/product/rf24v-2-asl/>

GAMA ELECTRONICS


P.O. Box 1488, Crystal Lake, IL 60039

Phone: 815-365-9600

Fax: 815-356-9603

Email: gama@gamainc.com

www.gamainc.com



Drawn By: KEG

Information contained herein is proprietary information of GAMA Electronics Inc. The dissemination use or duplication of this information, for any purpose other than that for which the information is provided, is prohibited except by express written permission.

All dimensions are in inches and have a +/- .015" tolerance unless otherwise specified.

Rev: 0

Release Date:
10/17/18

Pg. 6 of 6

Third Angle Projection

