
24V DC RF Remote Polarity Reverse Control with auxiliary switch leads

https://www.gamainc.com/product/rf24v1pr-asl/

RF24V1PR-ASL Receiver Dimensions



P.O. Box 1488, Crystal Lake, IL 60039 Phone: 815-356-9600 Fax: 815-356-9603 Email: gama@gamainc.com www.gamainc.com



Specifications

- Frequency: 340 MHz.
- Input voltage: 24VDC with reverse polarity protection
- The output relays are rated at 30A @ 24VDC.
- Operating temperature range: 0° F to 160° F.
- Transmit range is greater than 100 feet under normal operating conditions.
- Up to 12 keyfob transmitters can be used with each receiver.
- Both transmitters use A23 12V batteries
- 9" wire leads

Drawn By: KEG

Information contained herein is proprietary information of GAMA Electronics Inc. The dissemination use or duplication of this information, for any purpose other than that for which the information is provided, is prohibited except by express written permission.

All dimensions are in inches and have a +/- .015" tolerance unless otherwise specified.

Rev: 0

Pg. 1 of 4

Release Date: 05/28/20

24V DC RF Remote Polarity Reverse Control with auxiliary switch leads

https://www.gamainc.com/product/rf24v1pr-asl/


GANLA Electronics

P.O. Box 1488, Crystal Lake, IL 60039 Phone: 815-356-9600 Fax: 815-356-9603 Email: gama@gamainc.com www.gamainc.com

Long Range Antenna

https://www.gamainc.com/product/lra-340/


Included with long range option



2-Button Keyfob Transmitter

https://www.gamainc.com/product/kf340-2/

Included with standard transmitter option



Accessories Sold Separately

- •Extra 2-Button Waterproof Transmitter (KF340-2WP)
- •Extra 2-Button Keyfob Transmitter (KF340-2)
- •Package of 6 replacement A23
- 12V Alkaline Keyfob Batteries (A23-6)
- •Extra 2-Button Rechargeable Transmitter (GKF-WPTX-2)

Drawn By: KEG

Information contained herein is proprietary information of GAMA Electronics Inc. The dissemination use or duplication of this information, for any purpose other than that for which the information is provided, is prohibited except by express written permission.

All dimensions are in inches and have a +/- .015" tolerance unless otherwise specified.

Rev: 0

Pg. 2 of 4

Release Date: 05/28/20

24V DC RF Remote Polarity Reverse Control with auxiliary switch leads

https://www.gamainc.com/product/rf24v1pr-asl/




P.O. Box 1488, Crystal Lake, IL 60039 Phone: 815-356-9600 Fax: 815-356-9603 Email: gama@gamainc.com www.gamainc.com

2-Button Waterproof Transmitter

https://www.gamainc.com/product/kf340-2wp/

Included with waterproof transmitter option


ded with waterproof transmitter option



2-Button Rechargeable Transmitter

https://www.gamainc.com/product/gkf-wptx-2/

Included with rechargeable transmitter option



Drawn By: KEG

Information contained herein is proprietary information of GAMA Electronics Inc. The dissemination use or duplication of this information, for any purpose other than that for which the information is provided, is prohibited except by express written permission.

All dimensions are in inches and have a +/- .015" tolerance unless otherwise specified.

Rev: 0

Pg. 3 of 4


Release Date: 05/28/20


24V DC RF Remote Polarity Reverse Control with auxiliary switch leads

https://www.gamainc.com/product/rf24v1pr-asl/

Waterproof Enclosure


Included with waterproof enclosure option








P.O. Box 1488, Crystal Lake, IL 60039 Phone: 815-356-9600 Fax: 815-356-9603 Email: gama@gamainc.com www.gamainc.com





Drawn Bv: KEG

Information contained herein is proprietary information of GAMA Electronics Inc. The dissemination use or duplication of this information, for any purpose other than that for which the information is provided, is prohibited except by express written permission.

All dimensions are in inches and have a +/- .015" tolerance unless otherwise specified.

Rev: 0

Pg. 4 of 4

Release Date: 05/28/20