
RF Remote Control System, 12VDC 4-Motor Polarity Reversing with Auxiliary Switch Leads

https://www.gamainc.com/product/rf340-4pr-asl/

RF340-4PR-ASL Receiver Dimensions



P.O. Box 1488, Crystal Lake, IL 60039 Phone: 815-356-9600 Fax: 815-356-9603 Email: gama@gamainc.com www.gamainc.com



Specifications

- Input voltage: 12VDC with reverse polarity protection.
- Operating temperature range: 0°F to 160°F.
- Typical transmit range is 100 feet.
- Remote control operation can be programmed for momentary or latching operation.

Drawn Bv: KEG

Information contained herein is proprietary information of GAMA Electronics Inc. The dissemination use or duplication of this information, for any purpose other than that for which the information is provided, is prohibited except by express written permission.

All dimensions are in inches and have a +/- .015" tolerance unless otherwise specified.

Rev: 0

Pg. 1 of 4

Release Date: 07/10/20



RF Remote Control System, 12VDC 4-Motor Polarity Reversing with Auxiliary Switch Leads

https://www.gamainc.com/product/rf340-4pr-asl/

GANLA Electronics

P.O. Box 1488, Crystal Lake, IL 60039 Phone: 815-356-9600 Fax: 815-356-9603 Email: gama@gamainc.com www.gamainc.com

Long Range Antenna


www.gamainc.com/product/lra-340/

Included with long range option

2.81

Transmitter for 4-Motor Control www.gamainc.com/product/rft340-4pr-to/

Included with standard transmitter option



Available Accessories

- Additional 12-Button Rechargeable Transmitters (GKF-WPTX-12)
- Hand Held Pendant (HP4PR-ASL)
- Long Range Antenna (LRA-340)
- Additional 12-Button Standard Transmitter (RFT340-4PR-TO)
- Clear Protective Transmitter Pouch (ZLB-67)
- Package of 6 A23 12V Alkaline Batteries (A23-6)

Drawn By: KEG

Information contained herein is proprietary information of GAMA Electronics Inc. The dissemination use or duplication of this information, for any purpose other than that for which the information is provided, is prohibited except by express written permission.

All dimensions are in inches and have a +/- .015" tolerance unless otherwise specified.

Rev: 0

Pg. 2 of 4

Release Date: 07/10/20



RF Remote Control System, 12VDC 4-Motor Polarity Reversing with Auxiliary Switch Leads


https://www.gamainc.com/product/rf340-4pr-asl/




P.O. Box 1488, Crystal Lake, IL 60039 Phone: 815-356-9600 Fax: 815-356-9603 Email: gama@gamainc.com www.gamainc.com

Rechargeable Transmitter for 4-Motor Control www.gamainc.com/product/gkf-wptx-12/

Included with rechargeable transmitter option



Wiring Diagram



Drawn By: KEG

Information contained herein is proprietary information of GAMA Electronics Inc. The dissemination use or duplication of this information, for any purpose other than that for which the information is provided, is prohibited except by express written permission.

All dimensions are in inches and have a +/- .015" tolerance unless otherwise specified.

Rev: 0

Pg. 3 of 4

Release Date: 07/10/20




RF Remote Control System, 12VDC 4-Motor Polarity Reversing with Auxiliary Switch Leads


https://www.gamainc.com/product/rf340-4pr-asl/


Waterproof Enclosure

www.gamainc.com/product/gwe-663-812/

Included with waterproof enclosure option









P.O. Box 1488, Crystal Lake, IL 60039 Phone: 815-356-9600 Fax: 815-356-9603 Email: gama@gamainc.com www.gamainc.com

Interior View





Drawn Bv: KEG

Information contained herein is proprietary information of GAMA Electronics Inc. The dissemination use or duplication of this information, for any purpose other than that for which the information is provided, is prohibited except by express written permission.

All dimensions are in inches and have a +/- .015" tolerance unless otherwise specified.

Rev: 0

Pg. 4 of 4

Release Date: 07/10/20

