
RF Remote Control System, Reverse Polarity 12VDC Motor Control with Auxillary Contact Closure

https://www.gamainc.com/product/rfr12vprwp-rfr24vprwp/

RFR12V-PRWP Receiver Dimensions



P.O. Box 1488, Crystal Lake, IL 60039 Phone: 815-356-9600 Fax: 815-356-9603 Email: gama@gamainc.com www.gamainc.com



Specifications

- Frequency: 340 MHz.
- Input voltage: 12VDC with reverse polarity protection
- The output relays are rated at 30A @12VDC
- Operating temperature range: 0° F to 160° F.
- Transmit range is greater than 100 feet under normal operating conditions.
- Up to 30 keyfob transmitters can be used with each receiver.

Drawn Bv: KEG

Information contained herein is proprietary information of GAMA Electronics Inc. The dissemination use or duplication of this information, for any purpose other than that for which the information is provided, is prohibited except by express written permission.

All dimensions are in inches and have a +/- .015" tolerance unless otherwise specified.

Rev: A


Pg. 1 of 5

Release Date: 05/29/19



RF Remote Control System, Reverse Polarity 12VDC Motor Control with Auxillary Contact Closure

https://www.gamainc.com/product/rfr12vprwp-rfr24vprwp/




P.O. Box 1488, Crystal Lake, IL 60039 Phone: 815-356-9600 Fax: 815-356-9603 Email: gama@gamainc.com www.gamainc.com

Long Range Antenna


www.gamainc.com/product/lra-340/

Included with long range option



3-Button Keyfob Transmitter www.gamainc.com/product/p44066/

Included with standard transmitter option



Accessories Sold Separately

- •Extra 3-Button Keyfob Transmitters (P44066)
- •Extra 3-Button Waterproof Transmitters (KF340-3WP)
- •Extra 3-Button Rechargeable Transmitters (GKF-WPTX-3)
- •Package of 6 A23 12V Alkaline
- Keyfob Batteries (A23-6)
- •Extra Long Range Antenna (LRA-340)
- •Extra Waterproof Enclosure (GWE-663-812)
- •Clear Protective Transmitter Pouch (ZLB-67)

Drawn Bv: KEG

Information contained herein is proprietary information of GAMA Electronics Inc. The dissemination use or duplication of this information, for any purpose other than that for which the information is provided, is prohibited except by express written permission.

All dimensions are in inches and have a +/- .015" tolerance unless otherwise specified.

Rev: A

Pg. 2 of 5

Release Date: 05/29/19



RF Remote Control System, Reverse Polarity 12VDC Motor Control with Auxillary Contact Closure

https://www.gamainc.com/product/rfr12vprwp-rfr24vprwp/




P.O. Box 1488, Crystal Lake, IL 60039 Phone: 815-356-9600 Fax: 815-356-9603 Email: gama@gamainc.com www.gamainc.com

3-Button Waterproof Transmitter

www.gamainc.com/product/kf340-3wp


Included with waterproof transmitter option





Waterproof Enclosure

www.gamainc.com/product/gwe-663-812/

Included with waterproof enclosure option







Drawn Bv: KEG

Information contained herein is proprietary information of GAMA Electronics Inc. The dissemination use or duplication of this information, for any purpose other than that for which the information is provided, is prohibited except by express written permission.

All dimensions are in inches and have a +/- .015" tolerance unless otherwise specified.

Rev: A

Pg. 3 of 5


Release Date: 05/29/19

RF Remote Control System, Reverse Polarity 12VDC Motor Control with Auxillary Contact Closure

https://www.gamainc.com/product/rfr12vprwp-rfr24vprwp/


3-Button Rechargeable Transmitter www.gamainc.com/product/gkf-wptx-3

Included with rechargeable transmitter option





P.O. Box 1488, Crystal Lake, IL 60039
Independent Contact Phone: 815-356-9600
Fax: 815-356-9603
Closure Email: gama@gamainc.com



Power Motor Terminals Terminals

Drawn Bv: KEG

Information contained herein is proprietary information of GAMA Electronics Inc. The dissemination use or duplication of this information, for any purpose other than that for which the information is provided, is prohibited except by express written permission.

All dimensions are in inches and have a +/- .015" tolerance unless otherwise specified.

Rev: A

Pg. 4 of 5

Release Date: 05/29/19



RF Remote Control System, Reverse Polarity 12VDC Motor Control with Auxillary Contact Closure


https://www.gamainc.com/product/rfr12vprwp-rfr24vprwp/

RFR12V-PRWP Wiring Diagram



Independent Contact Closure controlled by the on/off button on the transmitter.

P.O. Box 1488, Crystal Lake, IL 60039 Phone: 815-356-9600 Fax: 815-356-9603 Email: gama@gamainc.com www.gamainc.com



Drawn By: KEG

Information contained herein is proprietary information of GAMA Electronics Inc. The dissemination use or duplication of this information, for any purpose other than that for which the information is provided, is prohibited except by express written permission.

All dimensions are in inches and have a +/- .015" tolerance unless otherwise specified.

Rev: A

MOTOR

Pg. 5 of 5

Release Date: 08/06/18

